







Kupfer und Cu-Legierungen – Band, Blech

 Band	 Dicke:	0,05 – 3,50 mm/* bis 4,50 mm nach Absprache
	 Breite:	2,00 – 500 mm
 Blech	 Dicke:	0,30 – 150 mm
	 Breite:	600 – 1 500 mm

Güte	Bezeichnung laut EN	WNr.	Band	Blech
CW004A	Cu-ETP	2.0065	x	x
CW008A	Cu-OF	2.0040	x	X
CW009A	Cu-OFE	2.0050	x	-
CW020A	Cu-PHC	2.0070	x	x
CW021A	Cu-HCP	2.0070	-	x
CW024A	Cu-DHP	2.0090	x	x
CW101C	CuBe2	2.1247	x	x
CW104C	CuCo2Be	2.1285	-	x
CW106C	CuCr1Zr	2.1293	-	x
CW107C	CuFe2P	2.1310	x	-
CW108C	CuNi1P		x	-
CW111C	CuNi2Si	2.0855	x	x
CW112C	CuNi3Si1Mg	2.0857	x	-
CW117C1	CuSn0,15		x	-

Kupfer und Cu-Legierungen – Stabstahl, Draht und Rohre

●	Rundstahl, Draht	2 – 300 mm
■	Quadrat-Stahl	5 – 200 mm
—	Flachstahl	2 -100 x 6 - 300 mm
⬡	6KT- Stahl	10 – 70 mm
○	Rohre	2 – 250 x 0,30 – 27 mm

Güte	Bezeichnung laut EN	WNr.	●	■	—	⬡	○
CW004A	Cu-ETP	2.0065	x	x	x	x	x
CW008A	Cu-OF	2.0040	x	-	-	x	-
CW009A	Cu-OFE	2.0050	x	-	-	-	-
CW020A	Cu-PHC	2.0070	x	-	-	x	-
CW021A	Cu-HCP	2.0070	x	-	-	x	-
CW024A	Cu-DHP	2.0090	x	x	x	x	x
CW101C	CuBe2	2.1247	x	x	x	x	-
CW104C	CuCo2Be	2.1285	x	-	x	x	-
CW106C	CuCr1Zr	2.1293	x	-	x	x	-
CW107C	CuFe2P	2.1310	-	-	-	-	-
CW111C	CuNi2Si	2.0855	x	-	-	x	-
CW112C	CuNi3Si1Mg	2.0857	x	-	-	-	-
CW117C1	CuSn0,15		x	-	-	-	-